w/ ケトリ、500 EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	64	diaphragm adj valve same cartridge	USPAT	OR	ON	2007/10/24 19:34
L2	15	1 and 347/86	USPAT	OR	ON	2007/10/24 19:34

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1090	suction same (vary\$3 or chang\$3 or becom\$3 or increas\$3 or decreas\$3) same gear adj pump	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:49
L2	0	1 and 347/23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:50
L3	0	1 and 347/30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:50
L4	8	1 and "347"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 14:56
L5	417	(347/23).CCLS.	USPAT; USOCR	OR	OFF	2007/10/24 16:22
L6	8236	suc\$4 with (large or small) adj amount	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 16:24
L7	76	6 and 347/30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 16:24

10/24/2007 4:33:42 PM Page 1